

Optics and Instruments 2015:  
Exercises on Polarization  
(Due on 7 October 2015 at 13:45)

C.U.Keller

September 30, 2015

## 1 Rotating Retarder Polarimeter

A rotating retarder (or waveplate) polarimeter consists of a rotating retarder with retardance  $\delta$  and position angle  $\theta(t)$ , a fixed linear polarizer, and a detector.

### 1.1 Modulation Signal

Show that the intensity  $I'$  measured by the detector as a function of time for an incoming Stokes vector  $(I, Q, U, V)^T$  is given by

$$I' = \frac{1}{2} \left( I + \frac{Q}{2} ((1 + \cos \delta) + (1 - \cos \delta) \cos 4\theta) + \frac{U}{2} (1 - \cos \delta) \sin 4\theta - V \sin \delta \sin 2\theta \right)$$

### 1.2 Uniform Modulation Amplitude

Show that the modulation amplitudes in  $Q$ ,  $U$ , and  $V$  are identical for  $\delta=127^\circ$ .

### 1.3 Measurement Intervals

Assume that the detector measures the intensity signal in  $n$  equally long time intervals for every full rotation of the retarder. How large does  $n$  need to be to detect all components of the Stokes vector.

## 2 Mueller Matrix

The most general Jones matrix describing the interaction of monochromatic light with matter has eight independent parameters (four complex numbers). How many independent parameters does a Mueller matrix have that describes the same interaction of a polarized beam with matter?

## 3 Rotating Mirror Problem

The Mueller matrix for an ideal mirror at normal incidence is given by

$$M = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 \end{pmatrix}.$$

Calculate the Mueller matrix of a mirror as a function of the rotation angle  $\alpha$  around its normal. What is wrong and why?