

Solar Physics 2010: Exercises to Lecture 6

Due Date: 24 May 2010 at 09:00

C.U.Keller

May 17, 2010

1 Derivation of the Landé Factor

Derive the equation for the Landé factor in LS coupling,

$$g_L = 1 + \frac{J(J+1) + L(L+1) - S(S+1)}{2J(J+1)} \quad (1)$$

Hint: Since \vec{J} and \vec{S} are both changing in time, project these two vectors first onto the direction of \vec{J} .

2 Splitting

We saw that the energy difference due to the Zeeman effect is given by

$$\Delta E_{NLSJ}(M) = \mu_0 g_L B M \quad (2)$$

Rewrite this splitting equation in terms of wavelength. Discuss the optimum wavelength for Zeeman measurements.

3 Strength of Spin-Orbit Interaction

The upper level of the sodium D doublet is split into two levels corresponding to total angular momenta $j = \frac{3}{2}$ (NaI D₂, 589.0 nm) and $j = \frac{1}{2}$ (NaI D₁, 589.6 nm). The splitting is caused by the magnetic moment due to the electron spin being subject to the magnetic field induced by the orbital motion (spin-orbit coupling). Estimate the internal magnetic field generating this splitting and discuss its impact on the assumption of LS coupling.